Be happy. Stay healthy.

Well-Child Exams



Immunizations and screenings are easy to forget, yet they are a vital part of leading a healthy life. We hope this handy card with important health maintenance reminders for your child will be helpful to you and your family.



Health Maintenance for Children

Newborn and well-child exams include a variety of health and development screenings, as well as immunizations to keep your kids healthy. We recommend visits at the following ages:

Your provider will write in the date your next well-child exam is due.

| 2-3 days after discharge | 12 months | |
|--------------------------|----------------------------|--|
| 14 days | 15 months | |
| 2 months | 18 months | |
| 4 months | 2 years | |
| 6 months | Annually after 2 years | |
| 9 months | | |

Immunization Schedule

| Hepatitis B: Bir | th, 1 - 4 mo, 6 - 18 mo |
|------------------|-------------------------|
|------------------|-------------------------|

| Diphtheria, Tetanus, Pertussis (DTaP) | 2 mo, 4 mo, 6 mo, | , 15 - 18 mo, 4 - 6 yrs |
|---------------------------------------|-------------------|-------------------------|
|---------------------------------------|-------------------|-------------------------|

Haemophilus Influenzae Type B (Hib): 2 mo, 4mo, 6 mo, 12 - 15 mo

Pneumococcal (Prevnar): 2 mo, 4mo, 6 mo, 12 - 15 mo

Rotavirus: 2 mo, 4 mo, 6 mo

Measles/Mumps/Rubella (MMR): 12 - 15 mo, 4 - 6 yrs

Chicken Pox (Varicella): 12 - 15 mo, 4 - 6 yrs

Hepatitis A: 2 doses 6 mo apart after the first birthday

Influenza: Yearly for children 6 mo and older*

Human Papillomavirus (HPV, Gardasil): 9 - 26 yrs, 2-shot or 3-shot series

Meningitis (Menactra): First dose 11 - 12 yrs, second dose 16 - 17 yrs

Tetanus, Diphtheria, Pertussis (Tdap): 11 - 12 yrs

^{*}Two doses given at least four weeks apart are recommended for children 6 months through 8 years of age who are getting an influenza (flu) vaccine for the first time.

A Place to Keep Track of Your Health and Exams

Make notes here about your family's check-up schedules, immunizations and medications, and file in a special place.

Pacific Medical Centers and its Affiliates do not discriminate on the basis of race, color, national origin, sex, age, or disability in their health programs and activities.

ATENCIÓN: Si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 888-311-9127 (TTY: 711).

注意:如果您講中文 ,我們可以給您提供免費中文翻譯服務 ,請致電 888-311-9127 (TTY: 711)

www.PacMed.org • 1.888.4PACMED 1.888.472.2633

